

## DIXELL



R.B. Šifra robe	Naziv proizvoda	Primedba
TERMOSTATI (digitalni) DIXELL		cene XR ne uključuju sonde i transf.
1 DX-XR100C-5C0	Termometar (digitalni) XR 100C (230V) (-50, +50 oC)	1 sonda PTC PVC 6x30 ili NTC PVC 6x30
2 DX-XR100C-0C0	Termometar (digitalni) XR 100C (12V) (-50, +50 oC)	1 sonda PTC PVC 6x30 ili NTC PVC 6x30
3 DX-XR100C-0C0	Termometar (digitalni) XT 11S (230V) (-40, +110 oC)	1 sonda NTC PVC 6x30 (uključena u cenu)
"PRIME" serija - HLADJENJE (* spec. cene)		cene ne uključuju sonde i transformator
4 DX-XR80C-0C0	Termostat (laktofriz) XR 80CX (12V)* (-30, +80 oC)	1 sonda PTC PVC 6x30
5 DX-XR10CX-0C0	Termostat XR 10CX (12V)* (-30, +80 oC)	1 sonda PTC PVC 6x30 (prost.)
6 DX-XR10CX-5C0	Termostat XR 10CX (230V)* (-30, +80 oC)	1 sonda PTC PVC 6x30 (prost.)
7 DX-XR10D-5C0	Termostat (DIN šina) XR 10D (230V) (-30, +80 oC)	1 sonda PTC PVC 6x30 (prost.)
8 DX-XR20CX-5C0	Termostat XR 20CX (230V) (-30, +80 oC)	1 sonda PTC PVC 6x30 (prost.)
9 DX-XR40CX-5C0	Termostat XR 40CX (230V) (-40, +110 oC)-mirni ispar.	2 sonde NTC SIL 6x30 (prost./isp.)
10 DX-XR60CX-0C0	Termostat sa releom otap. XR 60CX (12V)* (-40, +110 oC)	2 sonde NTC SIL 6x30 (prost./isp.)
11 DX-XR60CX-5C0	Termostat sa releom otap. XR 60CX (230V)* (-40, +110 oC)	2 sonde NTC SIL 6x30 (prost./isp.)
12 DX-XR60D-5C0	Termostat (DIN šina) XR 60D (230 V) (-30, +80 oC)	2 sonde NTC SIL 6x30 (prost./isp.)
13 DX-XR64CX-0C0	Term. sa releom otap. XR 64CX (12V) (-40, +110 oC)	3 sonde NTC SIL 6x30 (prost./2 isp.)
14 DX-XJ485CX	Serijski pretvarač (sa konekt.) (TTL-RS 485) XJ 485CX	Dodatak uz kontroler XR 60CX®XR 160C
15 DX-XJ485USB-KIT	Serijski pretvarač XJ 485USB-KIT	
16 DX-XR72CX-5N0	Term. sa releom otap. XR 72CX (12V) (-40, +110 oC)	3 sonde NTC SIL 6x30 (prost./2 isp.)
17 DX-XR03CX-5C0	Termostat (LTH) XR03CX (230 V) LTH	1 sonda NG6 (NTC TPR 6x15, 3m)
18 DX-XR06CX-5C0	Termostat (LTH) XR06CX (230 V) LTH	2 sonde NG6 (NTC TPR 6x15, 3m)
19 DX-S-NG6	Temperaturska sonda NG6 (NTC TPR 6x15, 3m)	Thermoplastic 3m, IP 67, 10.000W/25 oC
"WING BASIC" serija - HLADJENJE		cene ne uključuju sonde i transformator
20 DX-XW40L-5C0	Termostat (WING BASIC) XW 40L (230V)	2 sonde NTC/PTC (rash. vitr. sa mirnim isp.)
21 DX-XW60L-5C0	Termostat (WING BASIC) XW 60L (230V)	2 sonde NTC/PTC (rash. vitr. sa dinamičkim isp.)
"XR 100/XR 500" serija sa RS 485/ModBUS - HLADJENJE		povezivanje na XJ 500/XWEB500
22 DX-XR110C-0C0	Termostat XR 110C (12V) (-30, +80 oC) RS 485	1 sonda PTC PVC 6 x30 (prost.)
23 DX-XR130C-0C0	Termostat XR 130C (12V) (-30, +80 oC) RS 485	1 sonda PTC PVC 6x30 (prost.)
24 DX-XR130D-5C0	Termostat (DIN šina) XR 130D (230V) (-30, +80 oC) RS 485	1 sonda PTC PVC 6x30 (prost.)
25 DX-XR160C-0C0	Termostat XR 160C (12V) (-30, +80 oC) RS 485	2 sonde PTC PVC/SIL 6x30 (pr/isp)
26 DX-XR170C-0C0	Termostat XR 170C (12V) (-30, +80 oC) RS 485	2 sonde PTC PVC/SIL 6x30 (pr/isp)
27 DX-XR160D-5C0	Termostat (DIN šina) XR 160D (230V) (-30, +80 oC) RS 485	2 sonde PTC PVC 6x30 (pr/isp)
28 DX-Q-DK0100	Hot key (XR 110C/130C/160C)	kartica za brzo programiranje

"MULTI-PROBE XT100C" serija-kontroleri za T/p/RH%

cene ne uključuju sonde i transformator

HIGROSTATI

29 DX-XT110C-0H0	Higrostat (1-stepeni) XT 110C (12V)	1 sonda za vlagu XH 20P (4-20 mA)
30 DX-XT110C-5H0	Higrostat (1-stepeni) XT 110C (230V)	1 sonda za vlagu XH 20P (4-20 mA)
31 DX-XT120C-0H0	Higrostat (2-stepeni) XT 120C (12V)	1 sonda za vlagu XH 20P (4-20 mA)
32 DX-XT120C-5H0	Higrostat (2-stepeni) XT 120C (230V)	1 sonda za vlagu XH 20P (4-20 mA)
33 DX-XT130C-0H0	Higrostat (neutralna zona) XT 130C (12V)	1 sonda za vlagu XH 20P (4-20 mA)
34 DX-XT130C-5H0	Higrostat (neutralna zona) XT 130C (230V)	1 sonda za vlagu XH 20P (4-20 mA)

TERMOSTATI

cene ne uključuju sonde i transformator

35 DX-XT110C-0C0	Termostat (1-stepeni) XT 110C (12V) (-30, +80 oC)	1 sonda PTC PVC 6x30 (prost.)
36 DX-XT110C-5C0	Termostat (1-stepeni) XT 110C (230V) (-30, +80 oC)	1 sonda PTC PVC 6x30 (prost.)
37 DX-XT120C-0C0	Termostat (2-stepeni) XT 120C (12V) (-30, +80 oC)	1 sonda PTC PVC 6x30 (prost.)
38 DX-XT120C-5C0	Termostat (2-stepeni) XT 120C (230V) (-30, +80 oC)	1 sonda PTC PVC 6x30 (prost.)
39 DX-XT121R-5C0	Termostat (2-stepeni, alarm) XT 121R (230V) (-50, +140 oC)	1 sonda PTC SIL 6x40 (prost.), 72x72 mm
40 DX-XT130C-0C0	Termostat (neutr. zona) XT 130C (12V) (-30, +80 oC)	1 sonda PTC PVC 6x30 (prost.)
41 DX-XT130C-5C0	Termostat (neutr. zona) XT 130C (230V) (-30, +80 oC)	1 sonda PTC PVC 6x30 (prost.)
42 DX-XT131R-5C0	Termostat (neutr. zona, alarm) XT 131R (230V) (-50, +140 oC)	1 sonda PTC SIL 6x40 (prost.), 72x72 mm
43 DX-XT110D-5C0	Termostat (1-stepeni, DIN šina) XT 110D (230V) (-50, +140 oC)	1 sonda PTC SIL 6x40 (prost.)
44 DX-XT160D-5C0	Termostat (4-stepeni, DIN šina) XT 160D (230V) (-50, +140 oC)	1 sonda PTC SIL 6x40 (prost.)
45 DX-Q-J7MA	Serijski pretvarač (TTL-RS 485) XJ 485	serijski interfejs modul
46 DX-Q-DD1000	Kabl CAB/RS02 (serijski kabl za XJ RS485)	multipolarni konektor za XJ 485 (20 cm)

PRESOSTATI

cene ne uključuju sonde i transformator

47 DX-XT130C-5P0	Presostat (neutralna zona) XT 130C (230V) (4-20 mA)	2 pritisne sonde PP11/PP30 (4-20 mA)
------------------	---	--------------------------------------

KONTR. ZA CENTRALU-"PACK" SISTEM RS 485

cene ne uključuju sonde

48 DX-XC807M-5C0	Kontroler komp.-kond. centrale XC 807M (230V)	1xPP07+1xPP30 (4, 20mA), 7 izlaza (Kp+Kd)
49 DX-XC811M-5C0	Kontroler komp.-kond. centrale XC 811M (230V)	1xPP07+1xPP30 (4, 20mA), 11 izlaza (Kp+Kd)
50 DX-XC650C-0B0	Kontroler komp.-kond. centrale XC 650C-0B00F (12V)	1xPP11+1xPP30 (4, 20mA), 5 izlaza (Kp+Kd)
51 DX-CW15-KIT	Priključak 12-14 pin (XC 650C) CW15-KIT	priključak za kontroler XC 650C
52 DX-XC650CX-0B0	Kontroler komp.-kond. centrale XC 650CX-0C15F (12V)	1xPP11+1xPP30 (4, 20mA), 5 izlaza (Kp+Kd)
53 DX-CF-KIT	Priključak 12-14 pin (XC 650CX) CF-KIT	priključak za kontroler XC 650CX
54 DX-CAB-CJ15	Konektor sa kablom 1,5m CAB/CJ15	za kontrolere XC 650CX/IC 121CX
55 DX-XC1015D-1C0	Kontroler komp.-kond. centrale XC 1015D-1C00F (24V)	1xPP11+1xPP30 (4, 20mA), 15 izlaza (Kp+Kd)
56 DX-XC1015D-1C1	Kontroler komp.-kond. centrale XC 1015D-1C01F (24V)	1xPP11+1xPP30 (4, 20mA), 15 izlaza (Kp+Kd)
57 DX-VGC 810-1P0	Grafički displej VGC 810	uz kontroler XC 1015D
58 DX-Q-TF20D	Transformator TF 20D (230V/24V ac)	uz kontroler XC 1015D

UREDJAJ ZA PROGRAMIRANJE

59 DX-WIZMATE	Hot key WIZMATE PROG-TOOL KIT	kartica za brzo programiranje
---------------	-------------------------------	-------------------------------

KONTROLERI ZA TUNEL

cene ne uključuju sonde

60 DX-XB570L-5C0	Kontroler (tunel) XB 570L (230V)	2xPTC SIL 6x40+1xSPC10IA
------------------	----------------------------------	--------------------------

KONTROLERI ZA KOMORE ZA ZRENJE		regul. temp./vlage (cene ne uklj. sonde)
61 DX-XH360V-5C0	Kontroler XH 360V (230 V)	2xNTC SIL 6x30+1xXH20P

KONTROLERI ZA ČILERE/TOPLLOTNE PUMPE		(cene ne uklj. sonde i transformator)
62 DX-IC121CX	Kontroler IC121CX (12 V)	3xNTC SIL 6x30+1xPP11
63 DX-Q-TF5	Transformator TF 5 (230V/12V ac) 5VA	uz kontrolere IC(CX)
64 DX-CF-KIT	Priključak 12-14 pin (XC 650CX) CF-KIT	priključak za kontroler XC 650CX
65 DX-CAB-CJ15	Konektor sa kablom 1,5m CAB/CJ15	za kontrolere XC 650CX/IC 121CX

KONTROLERI ZA ELEKTRONSKE EXP. VENTILE	
66 DX-XEV12D-5N1	Kontroler elektr. exp. ventila XEV 12D (230 V)

MONITORING SISTEM XWEB500 (RS 485)		HACCP, ModBUS komun. protokol
67 DX-Q-SSW 232	Serijski priključak SSW 232	
68 DX-XJP40D	Modul za skupljanje podataka XJP40D (230 V) RS 485	4 x temp. sonda Pt100, DIN šina
69 DX-XJP60D	Modul za skupljanje podataka XJP60D (230 V) RS 485	6 x temp. sonda NTC/PTC, DIN šina
70 DX-XJM60D	Multifunkcionalni ulazno/izlazni modul XJM60D (24V)	6 ulaznih sondi PTC/NTC/Pt 1000, 4 releja
71 DX-XWEB300D	Modul za monitoring XWEB300D (230 V) do 6 kontrolera	monitoring i pamćenje (1 godina) T, p, RH%
72 DX-XWEB500	Modul za monitoring XWEB500 (230 V) do 100 kontrolera	monitoring i pamćenje (1 godina) T, p, RH%
73 DX-XWEB500D	Modul za monitoring XWEB500D (230 V) do 100 kontrolera	monitoring i pamćenje (1 godina) T, p, RH%

ELEKTRO TABLA SA KONTROLEROM		bez temperaturskih sondi
74 DX-XLR170	Elektro tabla XLR 170 (230 V)*	2 temp. sonde NTC SIL

SONDE ZA TEMPERATURU/VLAŽNOST		
75 DX-S-NTC PVC	Sonda za temp. (NS6) NTC PVC 6x30 (-30/+80 oC)	PVC 1,5m, IP 67, 10.000W/25 oC
76 DX-S-NTC-SIL	Sonda za temp. (NS6S) NTC SIL 6x30 (-40/+110 oC)	Silikon 1,5m, IP 67, 10.000W/25 oC
77 DX-S-PTC-PVC	Sonda za temp. (S6) PTC PVC 6x30 (-30/+80 oC)	PVC 1,5m, IP 67, 1000W/25 oC
78 DX-S-PTC-SIL	Sonda za temp. (S6.S) PTC SIL 6x40 (-50/+110 oC)	Silikon 1,5m, IP 67, 1000W/25 oC
79 DX-Q-NPC10IA	Ubodna sonda (inox) za temperaturu NPC10IA	NTC SIL kabl 3m (-55, +150 oC)
80 DX-Q-SPC10IA	Ubodna sonda (inox) za temperaturu SPC10IA	PTC SIL kabl 3m (-55, +150 oC)
81 DX-Q-PP07	Sonda za pritisak (usis) PP07 (-0,5, 7 bar)	2-žilni pretvarač, izlaz (4-20 mA), -20, +80 oC
82 DX-Q-PP11	Sonda za pritisak (usis) PP11 (-0,5, 11 bar)	2-žilni pretvarač, izlaz (4-20 mA), -20, +80 oC
83 DX-Q-PP30	Sonda za pritisak (potis) PP30 (0, 30 bar)	2-žilni pretvarač, izlaz (4-20 mA), -20, +80 oC
84 DX-Q-XH20P	Sonda za vlažnost XH 20P	2-žilni pretvarač, (ulaz 9-20Vdc/izlaz 4-20 mA)
85 DX-Q-TF3	Transformator TF 3 (230V/12V ac) 3VA	uz kontrolere XR (CX)/XR (C)